


ABOS Shoulder and Elbow Practice-Profiled Recertification Examination

BLUEPRINT



**ABOS
PRACTICE-PROFILED**

EXAMINATIONS

ABOS Shoulder and Elbow Practice-Profiled Recertification Examination

Table of Contents

Shoulder	72%
Trauma	18%
Reconstruction	35%
Instability	10%
Other	9%
Elbow	18%
Trauma	9.5%
Instability	2%
Reconstruction	4%
Other	2.5%
Neurovascular	6%
General	4%

ABOS Shoulder and Elbow Practice-Profiled Recertification Examination

Shoulder	72%
Trauma	18%
• Clavicle fracture (middle, lateral, medial)	3%
• Acromioclavicular joint (instability, arthritis)	2%
• Scapula (glenoid periprosthetic fracture, coracoid, body, acromial stress/scapular spine fracture)	2%
• Proximal humeral fracture	7%
• Humeral shaft fracture including periprosthetic fracture	2%
• Malunion/nonunion (proximal humerus, clavicle, humeral shaft)	2%
Reconstruction	35%
• Rotator cuff tendonitis/tendinopathy	3%
• Rotator cuff tear	8%
• Proximal biceps tendinopathy/tear	2%
• Glenohumeral osteoarthritis	8%
• Arthritis with massive cuff tear	7%
• Other arthritis (osteonecrosis, posttraumatic, chondrolysis, capsulorrhaphy, inflammatory arthritis)	4%
• Infection (postoperative, septic vs aseptic arthritis, periprosthetic)	3%
Instability	10%
• Anterior instability (with and without glenoid bone loss)	8%
• Posterior, multidirectional instability	2%
Other	9%
• Throwing shoulder (scapular dyskinesia, superior labrum, gleno-humeral internal rotation deficit, Little Leaguer's shoulder, internal impingement)	3%
• Shoulder stiffness (adhesive capsulitis, postoperative, posttraumatic)	3%
• Other (calcific tendonitis, os acromiale, sternoclavicular joint, pectoralis rupture, snapping scapula)	3%

Elbow	18%
Trauma	9.5%
• Distal humerus fracture	2.5%
• Proximal radial and ulnar fracture (radial head, monteggia, coronoid, olecranon)	2%
• Acute elbow instability (simple, complex, posteromedial rotatory instability)	3%
• Tendon rupture (distal biceps, distal triceps)	2%
Instability	2%
• Medial collateral ligament injury	1%
• Posterolateral rotatory instability	1%
Reconstruction	4%
• Arthritis (inflammatory, posttraumatic, joint replacement vs interposition)	2%
• Contracture/heterotopic ossification (osteoarthritis, posttraumatic)	1%
• Infection (postoperative, septic vs aseptic arthritis, periprosthetic)	1%
Other	2.5%
• Tendinopathy/olecranon bursitis (medial and lateral epicondylitis)	1%
• Cartilage (osteochondritis dissecans/Panner's/synovial chondromatosis)	0.5%
• Other (arthroscopy, loose body, portal placement, posteromedial impingement)	1%

Neurovascular

6%

- Cervical spine radiculopathy, myelopathy [diagnosis] 1%
- Peripheral neuropathy shoulder (scapular winging, long thoracic, spinal accessory, suprascapular, axillary, paralabral cyst) 2%
- Peripheral neuropathy arm/elbow (radial, ulnar, musculocutaneous) 1%
- Other (vascular, thoracic outlet, Charcot shoulder, neoplasm - shoulder/humerus [diagnosis], metastatic disease - shoulder/humerus, brachial plexus, Parsonage Turner) 2%

ABOS Shoulder and Elbow Practice-Profiled Recertification Examination

(continued)

<i>General</i>	<i>4%</i>
• Legal/ethical [non research]	1%
• Perioperative management (anesthesia complications, deep vein thrombosis prophylaxis, pain management)	3%

return to table of contents